



Woven, Windowpane Ceiling Frames

WoodGrain Collection

The uniform Windowpane pattern resembles the traditionally placed panes on a window. This Woven design creates a dynamic balance of openness and acoustic performance, making it ideal for high-traffic areas. Thoughtfully engineered, the Windowpane pattern integrates with ceiling elements such as sprinklers, speakers, and lighting, enhancing both form and function.

Specifications

Surface	Ceiling	
Material	FilaSorb™ polyester felt	
Thickness	1/2", 12mm (±10%)	
Weight	0.49 lb./ft ² (±10%)	
Standard Sizes	4" H x 24" W x 24" L 6" H x 24" W x 24" L	
Compatible T-grid	Type	Layout
	15/16" Flat	Standard 24" x 24"
	9/16" Flat	Standard 24" x 24"



Woven, Windowpane Ceiling Frames in Scorched Timber

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m ³
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.




Call **800.966.8557** with questions or visit **acoufelt.com** for more product information, downloads, and colorways.

Colorways


WOODGRAIN




Boat Shed
WQ02



Picket Fence
WQ01




Loft
WQ06



Nordic Plank
WQ15



White Oak
WQ13



Baltic Birch
WQ12




White Elm
WQ07




Lyed Larch
WQ30




Woodland Fog
WQ22




Weathered Slate
WQ14




French Bobbin
WQ08



Boardwalk
WQ10



Mountain Lodge
WQ24



Wine Barrel
WQ03



Natural Oak
WQ16




Knotty Spruce
WQ29



Shadow Oak
WQ28




Driftwood
WQ21



Mocha Legno
WQ25



Teak
WQ18



Fumed Oak
WQ19



European Larch
WQ17



Petrified Ash
WQ23



Log Cabin
WQ04




Charred Larch
WQ09




Barn Door
WQ05



Antique Chest
WQ11



Scorched Timber
WQ26



Espresso Oak
WQ27



Black Walnut
WQ20

Order samples at acoufelt.com/colorways




Call **800.966.8557** with questions or visit acoufelt.com for more product information, downloads, and colorways.

How to Specify

1. Choose Slat Height

2. Choose Colorways


Slats are available in two heights:



1. Choose Slat Height


2. Choose Colorways

See colorway choices on page 3.




Lighting Coordination

24" x 24" Grid light



Drop pendant light



Cut on-site between slats

Recessed light

