

Ceiling Panel Installation Guide


Premier, WoodGrain, Essentials Collections

Conceal Tab Connection

FOR THESE PRODUCTS:



Cover, Boarded



Cover, Concealed



Fracture



Pixel

STANDARD INSTALLATION






Table of Contents

Introduction.....	03
Conceal Tab Standard Installation.....	04

Introduction

Acoufelt's ceiling panels offer both acoustic performance and aesthetic appeal, enhancing a wide variety of spaces. This guide provides instructions for attaching panels to T-grids with our conceal tabs. Carefully follow these guidelines to achieve optimal results while maintaining the integrity of the design and structure.

Important Notes

When installing Acoufelt frames, consult with other relevant trades to ensure that the frames will not interfere with the performance of any other systems within the installation space.

Verify that all Acoufelt frames are installed in the correct orientation as indicated in the Acoufelt print and installation plan to maintain consistency and avoid variations that could impact the overall appearance of the finished installation.

Carefully evaluate structural conditions, project load, and load requirements to determine the appropriate anchoring solutions needed for a secure and stable installation.

Assembly notes and warnings:

Read and follow all instructions carefully before beginning the installation and retain these instructions for future reference. Failure to adhere to these guidelines may result in improper installation, which could compromise the safety, functionality, or aesthetic quality of the finished project. Ensure all components are properly assembled and secured according to the installation plan and follow workplace safety standards while using appropriate personal protective equipment during installation.

Disclaimer

Acoufelt strives to fulfill the needs of their customers by producing the highest quality felt products; however, due to the fine, fibrous, and textural nature of the product, slight visual imperfections may be seen when viewing the product from less than 3 to 5 feet. These slight visual imperfections are within a normal manufacturing industry tolerance and do not affect the product's performance or durability.

Consult local building codes and/or a fire engineer to determine the proper locations for any grids in relation to any fire suppression system located with the installation space.

Installation Tolerances

Variation of frame dimensions $\pm [1/16" (1.6mm)]$ in 110" (2800mm), noncumulative

Variation of frame thickness $\pm [10%]$ in 12mm thickness, noncumulative

Set Up and Unpacking

Product shall be stored in a dry interior location and shall remain in boxes prior to installation to avoid damage. The boxes shall be stored in crated orientation and not stacked with any added weight. Proper care should be taken when handling to avoid damage or soiling.

Product containers should only be opened in a clean area, free of construction dust. Wearing clean, cloth gloves, carefully remove the components from the packing materials. Verify all items listed on the packing list are included.

Inspect products after opening. If products appear to be damaged or defective on visual inspection, do not install and contact an Acoufelt representative immediately.



For questions or additional product information, visit [acoufelt.com](https://www.acoufelt.com) or call **800.966.8557**.


Panel Conceal Tab Instructions | December 2025

Conceal Tab Standard Installation

Consult local codes and a structural engineer before installation. To protect safety and product integrity, all fixtures must be independently supported and not rely on the frames.


Step 1: Determine layout and start attaching

If installation documents have been provided, reference the T-grid and frame layout before beginning. To install the panel, angle the conceal tab and hook one side onto the T-grid.



Step 2: Attach opposite side into grid

Lift and press the opposite side of the panel until all of the tabs are securely attached onto the adjacent T-grid. Inspect all edges of the frame to confirm that each felt tab is securely attached on the T-grid.



For questions or additional product information, visit [acoufelt.com](https://www.acoufelt.com) or call 800.966.8557.

Panel Conceal Tab Instructions | December 2025