

Rafter


Ceiling Frames

WoodGrain Collection

Rafter is a high-performance acoustic solution that delivers both value and visual impact, pairing effective sound absorption with a bold sense of rhythm. Its open design reveals the ceiling above while installing directly to the surface, creating a clean, minimalist aesthetic that maximizes budget without compromise. Available in multiple sizes, depths, and finishes, Rafter adapts seamlessly to a wide range of design applications—elevating spaces with both function and refined style.

Specifications

Surface	Ceiling	
Material	FilaSorb™ polyester felt	
Weight	0.49 lb./ft ² (±10%)	
Standard Sizes	Height: 1", 2" H Width: 23" W Slat width: 3", 3.5", 3.8", 4.3", 5", 5.5", 7", 7.5" W Length: 24", 48" and 96" L	
Compatible T-grid	Type	Layout
	15/16" Flat	Standard 24" x 24"
	9/16" Flat	Standard 24" x 24"



Rafter Ceiling Frames in Teak

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A CAN/ULC-S102 Flame spread index: 15 Smoke developed index: 200
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m ³
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.



For questions or additional product information, visit [acoufelt.com](https://www.acoufelt.com) or call **800.966.8557**.

Rafter Ceiling Frames | November 2025

Colorways

WOODGRAIN



Picket Fence
WQ01



Loft
WQ06



White Elm
WQ07



Lyed Larch
WQ30



White Oak
WQ13



Baltic Birch
WQ12



Knotty Spruce
WQ29



French Bobbin
WQ08



Boat Shed
WQ02



Nordic Plank
WQ15




Boardwalk
WQ10



Mocha Legno
WQ25



Mountain Lodge
WQ24



Wine Barrel
WQ03



Log Cabin
WQ04



Natural Oak
WQ16



Woodland Fog
WQ22




Driftwood
WQ21




Weathered Slate
WQ14




Petrified Ash
WQ23



Antique Chest
WQ11



European Larch
WQ17



Fumed Oak
WQ19



Teak
WQ18



Charred Larch
WQ09



Shadow Oak
WQ28



Barn Door
WQ05



Black Walnut
WQ20



Scorched Timber
WQ26



Espresso Oak
WQ27

Order samples at acoufelt.com/colorways

How to Specify


1. Choose Slat Size & Clearance

2. Choose Backer Panel Size

3. Choose Colorways

Frames are available in 3, 4, 5 or 6 slats per frame. Once the number of slats per frame is selected there are 2 heights and widths to select from; the clearance between slats is predetermined based on the number of slats and the selected slat widths. Select the desired combination from the following:

No. Slats	Height	Width	Clearance
6	1"	3"	1"
6	1"	3.5"	0.5"
6	2"	3"	1"
6	2"	3.5"	0.5"
5	1"	3.8"	1"
5	1"	4.3"	0.5"
5	2"	3.8"	1"
5	2"	4.3"	0.5"
4	1"	5"	1"
4	1"	5.5"	0.5"
4	2"	5"	1"
4	2"	5.5"	0.5"
3	1"	7"	1"
3	1"	7.5"	0.5"
3	2"	7"	1"
3	2"	7.5"	0.5"




1. Choose Slat Size & Clearance

2. Choose Backer Panel Size

3. Choose Colorways

Backer panels are available in three lengths.



Example shown with 6 slats per frame.
 Clip spacing may differ. Product ships assembled.
 Safety cable comes standard on all SoftenUp™ product lines. See installation guides for additional details.

For questions or additional product information, visit acoufelt.com or call 800.966.8557.

Rafter Ceiling Frames | November 2025

How to Specify (cont.)


1. Choose Slat Size & Clearance

2. Choose Backer Panel Size

3. Choose Colorways


See colorway choices on page 3.

If you're specifying dark colored backer panels, we recommend dark drop ceiling grids (not provided).




Recommended Layouts

Layout 1



Layout 2



Layout 3

